

ANADROMOUS FISH LIFE HISTORY STAGE AND PRESENCE TIMING FOR PLACER COUNTY

CHINOOK SALMON



(*Oncorhynchus tshawytscha*)

MONTH

Life History Stage	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	APPLICABLE STREAMS
Fall Run Adult Spawning Migration													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Fall Run Egg Incubation													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Fall Run Fry Emergence and Early Rearing													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Fall Run Fry Rearing/Emigration													
Fall Run Juvenile Rearing													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Fall Run Juvenile Downstream Emigration													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River

NOTE: Fall Run generally spawn in Nov and Dec. with juveniles emigrating to the ocean in the spring after spawning as fry or 70 mm smolts

Late Fall Adult Spawning Migration													Dry Creek, Miners Ravine, Secret Ravine, Others Unknown
Late Fall Run Egg Incubation													Dry Creek, Miners Ravine, Secret Ravine, Others Unknown
Late Fall Run Fry Emergence and Early Rearing													Dry Creek, Miners Ravine, Secret Ravine, Others Unknown
Late Fall Run Juvenile Rearing													Dry Creek, Miners Ravine, Secret Ravine, Others Unknown
Late Fall Run Juvenile Downstream Emigration													Dry Creek, Miners Ravine, Secret Ravine, Others Unknown

NOTE: Late Fall Run generally spawn in Jan, Feb, Mar with juveniles emigrating to the ocean in the Spring of spawning as fry or 100+ mm smolts in the following Fall or early winter. This assumes that these fish are Late Fall Run.

STEELHEAD TROUT



(*Oncorhynchus mykiss*)

Adult Spawning Migration													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Egg Incubation													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Fry Emergence and Early Rearing													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Juvenile Rearing													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River
Juvenile Downstream Emigration													Dry Creek, Secret Ravine, Miners Ravine, Auburn Ravine, Doty Creek, Coon Creek, Bear River

NOTE: Steelhead generally spawn in Dec-Feb, with juveniles emigrating from Nov-Apr of the following year, juveniles generally over summer in natal streams

Source: Bailey Environmental, 2003